

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Rubio Monocoat Limespot Remover
UFI : VH30-V0UP-V000-XSF3
Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Intended for general public
Main use category : Consumer use, Professional use
Use of the substance/mixture : Removing calcareous water stains on a surface treated with RMC Oil

1.3. Details of the supplier of the safety data sheet

Muylle Facon B.V.B.A. - Rubio Monocoat
Ambachtenstraat 58
B 8870 Izegem
Belgium
T +32 (0) 51 30 80 54, F +32 (0) 51 30 99 78
info@rubiomonocoat.com, www.rubiomonocoat.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

CLP Signal word :

Warning

Hazard statements (CLP) :

H315 - Causes skin irritation.
H319 - Causes serious eye irritation.

Precautionary statements (CLP) :

P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P264 - Wash hands, forearms and face thoroughly after handling.
P280 - Wear protective gloves, eye protection.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501 - Dispose of contents/container in accordance with local regulations.

Rubio Monocoat Limespot Remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Acetic acid, 80% aqueous solution (64-19-7)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Acetic acid, 80% aqueous solution (64-19-7)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Acetic acid, 80% aqueous solution substance with national workplace exposure limit(s) (BE, DK, FR, GB, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no: 01-2119475328-30	< 25	Flam. Liq. 3, H226 Skin Corr. 1A, H314

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Acetic acid, 80% aqueous solution	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no: 01-2119475328-30	(10 \leq C < 25) Skin Irrit. 2; H315 (10 \leq C < 25) Eye Irrit. 2; H319 (25 \leq C < 90) Skin Corr. 1B; H314 (90 \leq C < 100) Skin Corr. 1A; H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: If on skin : Wash with plenty of soap and water.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: In all cases of doubt, or when symptoms persist, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Get medical advice/attention if you feel unwell.
Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Risk of serious damage to eyes.
Symptoms/effects after ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Rubio Monocoat Limespot Remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor or emergency department.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water mist, carbonic acid, foam or powder against ambient fire.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Precautionary measures fire : Evacuate area.
Firefighting instructions : Prevent fire fighting water from entering the environment.
Protection during firefighting : Self-contained breathing apparatus. Complete protective clothing.
Other information : Exercise caution when fighting any chemical fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Do not get in eyes, on skin, or on clothing. Use personal protective equipment - see point 8. Limit spread.

For emergency responders

Protective equipment : Safety glasses. Protective gloves. Do not attempt to take action without suitable protective equipment.

6.2. Environmental precautions

Avoid discharge into the sewer - see point 12. Inform the local environmental authorities in the event of a release to the surroundings.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Liquid is absorbed with granules or similar. Collect in suitable containers. Rinse thoroughly with water. Further handling of spillage - see point 13.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : After contact with skin, wash immediately and thoroughly with water and soap. Remove contaminated clothes. Avoid inhalation of vapour and spray mist. Work in a well-ventilated area. Eyewash bottle with clean water.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

Switzerland

Storage class (LK) : LK 8 - Corrosive materials

Rubio Monocoat Limespot Remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Rubio Monocoat Limespot Remover	
Norway - Occupational Exposure Limits	
Regulatory reference	Arbeidstilsynets grenseverdier (forskrift om tiltaks- og grenseverdier nr. 581, 05.04.2024)
Acetic acid, 80% aqueous solution (64-19-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOELV TWA (mg/m ³)	25 mg/m ³
IOELV STEL (mg/m ³)	50 mg/m ³
Belgium - Occupational Exposure Limits	
Local name	Acide acétique # Azijnzuur
Limit value [mg/m ³]	25 mg/m ³
Limit value [ppm]	10 ppm
Short time value [mg/m ³]	38 mg/m ³
Short time value [ppm]	15 ppm
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023
Denmark - Occupational Exposure Limits	
Local name	Eddikesyre
Grænseværdi (8 timer) (mg/m ³)	25 mg/m ³
Grænseværdi (8 timer) (ppm)	10 ppm
Grænseværdi (STEL) (mg/m ³)	50 mg/m ³
Grænseværdi (STEL) (ppm)	20 ppm
Remark	E
France - Occupational Exposure Limits	
VLE [mg/m ³]	25 mg/m ³
VLE [ppm]	10 ppm
Norway - Occupational Exposure Limits	
Local name	Eddiksyre
Grenseverdier (AN) (mg/m ³)	25 mg/m ³
Grenseverdier (AN) (ppm)	10 ppm
Remark	AE
Switzerland - Occupational Exposure Limits	
Local name	Essigsäure
VME [mg/m ³]	25 mg/m ³
VME [ppm]	10 ppm

Rubio Monocoat Limespot Remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetic acid, 80% aqueous solution (64-19-7)	
VLE [mg/m ³]	50 mg/m ³
VLE [ppm]	20 ppm
Notation	SSC – No harm to the fetus if the MAK value is observed
Remark	Messmethoden = NIOSH + OSHA

DNEL and PNEC

Acetic acid, 80% aqueous solution (64-19-7)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	25 mg/m ³
Long-term - local effects, inhalation	25 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	25 mg/m ³
Long-term - local effects, inhalation	25 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	3.058 mg/l
PNEC aqua (marine water)	0.3058 mg/l
PNEC aqua (intermittent, freshwater)	30.58 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	11.36 mg/kg dwt
PNEC sediment (marine water)	1.136 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.478 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	85 mg/l

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

During spraying wear suitable respiratory equipment.

Personal protection equipment

Personal protective equipment:

Protective goggles. Gloves.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection			
Type	Use	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN ISO 16321

Rubio Monocoat Limespot Remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin protection

Hand protection					
Type	Material	Permeation	Thickness (mm)	Permeation	Standard
protective gloves	Nitrile rubber (NBR)	5 (> 240 minutes)	>0,3		EN 374-2

Respiratory protection

Respiratory protection:

Usually not necessary. In case of insufficient ventilation or spraying: Use approved mask with particle filter P2 (EN149). The filters have a limited service life (must be changed). Read the manufacturer's instructions.

Respiratory protection			
Device	Filter type	Condition	Standard
Gas/Particle Filter	typeA/P2		EN 140

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Transparent.
Appearance	: Liquid.
Odour	: vinegar odour.
Odour threshold	: Not available
Melting point	: ≈ 0 °C
Freezing point	: Not available
Boiling point	: ≈ 100 °C
Flammability (solid, gas)	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: > 60 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 2.1
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.02 kg/l (20°C)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

Other safety characteristics

VOC content : 20 %

Rubio Monocoat Limespot Remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

Avoid oxidizing agents as well as strong acids and bases. Stable in use and storage conditions as recommended in item 7.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Bases. Acids. Oxidising agents.

10.6. Hazardous decomposition products

Fire may liberate carbon oxides (CO) and smoke.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Acetic acid, 80% aqueous solution (64-19-7)

LD50 oral rat	3310 mg/kg
LD50 oral	3310 mg/kg bodyweight
LD50 dermal	1060 mg/kg bodyweight
LC50 Inhalation - Rat	> 40 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.
pH: 2.1

Acetic acid, 80% aqueous solution (64-19-7)

pH	2.4 (6 %)
----	-----------

Serious eye damage/irritation : Causes serious eye irritation.
pH: 2.1

Acetic acid, 80% aqueous solution (64-19-7)

pH	2.4 (6 %)
----	-----------

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

11.2. Information on other hazards

No additional information available

Rubio Monocoat Limespot Remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Not applicable.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

Acetic acid, 80% aqueous solution (64-19-7)

LC50 fish 1	> 1000 mg/l
LC50 fish 2	88 mg/l (96 h; Pimephales promelas)
EC50 Daphnia 1	6000 mg/l (24 h; Daphnia magna)
EC50 Daphnia 2	32 mg/l (48 h; Artemia salina)
EC50 other aquatic organisms 1	> 1000 mg/l waterflea
ErC50 (algae)	300.82 mg/l (Algae; 72h)
TLM fish 1	47 mg/l (96 h; Lepomis macrochirus)
TLM fish 2	100 ppm (96 h; Carassius auratus)
Threshold limit algae 1	90 mg/l (Microcystis aeruginosa)
Threshold limit algae 2	4000 mg/l (Scenedesmus quadricauda)

12.2. Persistence and degradability

Rubio Monocoat Limespot Remover

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Acetic acid, 80% aqueous solution (64-19-7)

Persistence and degradability	Readily biodegradable in water.
-------------------------------	---------------------------------

12.3. Bioaccumulative potential

Acetic acid, 80% aqueous solution (64-19-7)

Log Pow	-0.2
Bioaccumulative potential	Not applicable.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Acetic acid, 80% aqueous solution (64-19-7)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Acetic acid, 80% aqueous solution (64-19-7)

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.
--	---

Rubio Monocoat Limespot Remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

Rubio Monocoat Limespot Remover

Other information	Avoid release to the environment.
-------------------	-----------------------------------






SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Waste substance number = 7133.
Waste disposal recommendations	: Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant local regulations.
Additional information	: Clean up even minor leaks or spills if possible without unnecessary risk.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW, EC 2000/532)	: 16 10 01* - aqueous liquid wastes containing dangerous substances
HP Code	: HP8 - "Corrosive:" waste which on application can cause skin corrosion.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 2790	UN 2790	UN 2790	UN 2790	UN 2790
14.2. UN proper shipping name				
ACETIC ACID SOLUTION	ACETIC ACID SOLUTION	Acetic acid solution	ACETIC ACID SOLUTION	ACETIC ACID SOLUTION
Transport document description				
UN 2790 ACETIC ACID SOLUTION, 8, III, (E)	UN 2790 ACETIC ACID SOLUTION, 8, III	UN 2790 Acetic acid solution, 8, III	UN 2790 ACETIC ACID SOLUTION, 8, III	UN 2790 ACETIC ACID SOLUTION, 8, III
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-A EmS-No. (Spillage): S-B	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport


Classification code (ADR)	: C3
Special provisions (ADR)	: 597, 647
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1

Rubio Monocoat Limespot Remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel restriction code (ADR)	: E
-------------------------------	-----

Transport by sea

Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
Stowage category (IMDG)	: A
Segregation (IMDG)	: SG36, SG49
Properties and observations (IMDG)	: Colourless liquid with a pungent odour. Miscible with water. Corrosive to lead and most other metals. Corrosive to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A803
ERG code (IATA)	: 8L

Inland waterway transport

Classification code (ADN)	: C3
Special provisions (ADN)	: 597, 647
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: C3
Special provisions (RID)	: 597, 647
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 80

Rubio Monocoat Limespot Remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
3(a)	Acetic acid, 80% aqueous solution	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Acetic acid, 80% aqueous solution	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
40.	Acetic acid, 80% aqueous solution	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 20 %

Detergent Regulation (EC 648/2004)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer).

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Rubio Monocoat Limespot Remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

National regulations

Germany

VOC ordinance (ChemVOCFarbV) : VOC content : 20 %

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Major Accidents Ordinance (12. BImSchV) : Is not subject to the Major Accidents Ordinance (12. BImSchV)

Denmark

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Norway

Other information :

Poland

Polish National Regulations : Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).
Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).
The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).
Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).
Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).
Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).
The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)
Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).
Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).
ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

Rubio Monocoat Limespot Remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:

H319	Causes serious eye irritation.
------	--------------------------------

The classification complies with : ATP 18

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.