

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Rubio Monocoat WoodPrep  
UFI : AE15-G1TM-G00A-30TQ

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Intended for general public  
Main use category : Consumer use, Professional use

#### 1.3. Details of the supplier of the safety data sheet

Muylle Facon B.V.B.A. - Rubio Monocoat  
Ambachtenstraat 58  
B 8870 Izegem  
Belgium  
T +32 (0) 51 30 80 54, F +32 (0) 51 30 99 78  
[info@rubiomonocoat.com](mailto:info@rubiomonocoat.com), [www.rubiomonocoat.com](http://www.rubiomonocoat.com)

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314  
Serious eye damage/eye irritation, Category 1 H318  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

CLP Signal word :

Danger

Hazard statements (CLP) :

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) :

P102 - Keep out of reach of children.

P260 - Do not breathe mist, spray.

P264 - Wash hands thoroughly after handling.

P280 - Wear eye protection, protective gloves.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

EUH-statements :

EUH208 - Contains mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) (C(M))IT/MIT (3:1). May produce an allergic reaction.

# Rubio Monocoat WoodPrep

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)) <sup>(1)</sup>
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)) <sup>(1)</sup>

<sup>(1)</sup> Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) substance with national workplace exposure limit(s) (CH)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691-48	0.00016	Acute Tox. 2 (Inhalation), H330 (ATE=0.05 mg/l/4h) Acute Tox. 2 (Dermal), H310 (ATE=50 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=66 mg/kg bodyweight) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

### Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691-48	(0.0015 $\leq$ C $\leq$ 100) Skin Sens. 1A; H317 (0.06 $\leq$ C < 0.6) Eye Irrit. 2; H319 (0.06 $\leq$ C < 0.6) Skin Irrit. 2; H315 (0.6 $\leq$ C $\leq$ 100) Eye Dam. 1; H318 (0.6 $\leq$ C $\leq$ 100) Skin Corr. 1C; H314

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : If medical advice is needed, have product container or label at hand. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Suspected of causing cancer.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Immediately call a POISON CENTER/doctor. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

# Rubio Monocoat WoodPrep

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label).
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes damage to organs through prolonged or repeated exposure.
Symptoms/effects after inhalation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause respiratory irritation. Obtain medical attention if breathing difficulty persists. May cause headache and dizziness.
Symptoms/effects after skin contact	: Causes skin irritation. Remove all contaminated clothing and footwear.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Swallowing of this material presents health hazard. May cause lung damage if swallowed. Seek a medical assistance, even if there are no immediate symptoms.

### 4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor or emergency department.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Can't burn. Water mist, carbonic acid, foam or powder against surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Precautionary measures fire	: Evacuate area.
Firefighting instructions	: Prevent fire fighting water from entering the environment.
Protection during firefighting	: Self-contained breathing apparatus.
Other information	: Exercise caution when fighting any chemical fire.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Emergency procedures : Do not get in eyes, on skin, or on clothing. Use personal protective equipment - see point 8. Limit spread.

### 6.2. Environmental precautions

Avoid discharge into the sewer - see point 12. Inform the local environmental authorities in the event of a release to the surroundings.

### 6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Liquid is absorbed with granules or similar. Collect in suitable containers. Rinse thoroughly with water. Further handling of spillage - see point 13.
Other information	: Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

See above (see point 6.1/6.2/6.3).

# Rubio Monocoat WoodPrep

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Do not eat, drink or smoke while using this product.  
Precautions for safe handling : Avoid contact with the eyes and prolonged contact with the skin. After use, wash with plenty of soap and water.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

#### Switzerland

Storage class (LK) : LK 8 - Corrosive materials

#### 7.3. Specific end use(s)

See application - point 1.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### National occupational exposure and biological limit values

**mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)**

##### Switzerland - Occupational Exposure Limits

Local name	5-Chlor-2-methyl-2,3-dihydro-isothiazol-3-on und 2-Methyl-2,3-dihydroisothiazol-3-on
VME [mg/m <sup>3</sup> ]	0.2 mg/m <sup>3</sup>
VLE [mg/m <sup>3</sup> ]	0.4 mg/m <sup>3</sup>
Notation	No harm to the fetus if the MAK value is respected.

##### DNEL and PNEC

**mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)**

##### DNEL/DMEL (Workers)

Acute - local effects, inhalation	0.04 mg/m <sup>3</sup>
Long-term - local effects, inhalation	0.02 mg/m <sup>3</sup>

##### DNEL/DMEL (General population)

Acute - systemic effects, oral	0.11 mg/kg bw/day
Acute - local effects, inhalation	0.04 mg/m <sup>3</sup>
Long-term - systemic effects, oral	0.09 mg/kg bw/day
Long-term - local effects, inhalation	0.02 mg/m <sup>3</sup>

##### PNEC (Water)

PNEC aqua (freshwater)	3.39 µg/l
PNEC aqua (marine water)	3.39 µg/l

##### PNEC (Sediment)

PNEC sediment (freshwater)	0.027 mg/kg dwt
PNEC sediment (marine water)	0.027 mg/kg dwt

# Rubio Monocoat WoodPrep

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1)  
(C(M)IT/MIT (3:1) (55965-84-9))

### PNEC (Soil)

PNEC soil	0.01 mg/kg dwt
-----------	----------------

### PNEC (STP)

PNEC sewage treatment plant	0.23 mg/l
-----------------------------	-----------

## 8.2. Exposure controls

### Appropriate engineering controls

#### Appropriate engineering controls:

During spraying wear suitable respiratory equipment.

### Personal protection equipment

#### Eye and face protection

##### Eye protection

Type	Use	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

#### Skin protection

##### Hand protection

Type	Material	Permeation	Thickness (mm)	Permeation	Standard
protective gloves	Nitrile rubber (NBR)	5 (> 240 minutes)	>0,3		EN 374-2

#### Respiratory protection

##### Respiratory protection:

Usually not necessary. In case of insufficient ventilation or spraying: Use approved mask with particle filter P2 (EN149). The filters have a limited service life (must be changed). Read the manufacturer's instructions.

##### Respiratory protection

Device	Filter type	Condition	Standard
Gas/Particle Filter	typeA/P2		EN 140

#### Environmental exposure controls

##### Environmental exposure controls:

Avoid release to the environment.

##### Other information:

Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Transparent.
Appearance	: Liquid.
Odour	: Characteristics.
Odour threshold	: Not available
Melting point	: ≈ 0 °C
Freezing point	: Not available
Boiling point	: ≈ 100 °C
Flammability (solid, gas)	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available

# Rubio Monocoat WoodPrep

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Flash point	: > 60 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: ≈ 1.6
Viscosity, kinematic	: Not available
Solubility	: Not available
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: ≈ 1 kg/l (20°C)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

Avoid oxidizing agents as well as strong acids and bases.

### 10.6. Hazardous decomposition products

Under fire conditions, hazardous fumes will be present.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

#### **mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)**

LD50 oral rat	66 mg/kg bodyweight (OECD 401: Acute oral toxicity, Rat, Male/female, Experimental value, Calculated per active substance, Oral, 14 day(s))
LD50 oral	59 mg/kg bodyweight
LD50 dermal rat	> 141 mg/kg bodyweight (OECD 402: Acute dermal toxicity, 24 h, Rat, Male/female, Experimental value, Calculated per active substance, Dermal, 14 day(s))
LD50 dermal	> 75 mg/kg bodyweight
LC50 Inhalation - Rat	0.17 mg/l air (OECD 403: Acute inhalation toxicity, 4 h, Rat, Male/female, Experimental value, Calculated per active substance, Inhalation (substance), 14 day(s))

# Rubio Monocoat WoodPrep

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin corrosion/irritation : Causes severe skin burns.  
pH: ≈ 1.6

**mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9))**

pH	No data available in the literature
----	-------------------------------------

Serious eye damage/irritation : Causes serious eye damage.  
pH: ≈ 1.6

**mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9))**

pH	No data available in the literature
----	-------------------------------------

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)  
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

**mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9))**

Viscosity, kinematic	Not applicable
----------------------	----------------

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Not applicable.  
Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)  
Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

**mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9))**

LC50 fish 1	0.28 mg/l (96 h; Lepomis macrochirus)
EC50 Daphnia 1	0.007 mg/l (48 h, Acartia tonsa, Salt water, Experimental value, GLP)
EC50 other aquatic organisms 1	0.126 mg/l waterflea
EC50 other aquatic organisms 2	0.003 mg/l
ErC50 (algae)	19.9 µg/l (OECD 201: Algae: Growth inhibition test, 72 h, Skeletonema costatum, Static system, Salt water, Experimental value, GLP)
Threshold limit algae 1	0.018 mg/l (72 h; Pseudokirchneriella subcapitata)

### 12.2. Persistence and degradability

#### Rubio Monocoat WoodPrep

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

**mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9))**

Persistence and degradability	Readily biodegradable in water.
-------------------------------	---------------------------------

# Rubio Monocoat WoodPrep

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.3. Bioaccumulative potential

#### mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)

BCF fish 1	41 – 54 (OECD 305: Bioconcentration: flow-through fish test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)
Log Pow	-0.32 – 0.7 (Experimental value, OECD 117: Partition coefficient (n-octanol/water), HPLC method, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 500).

### 12.4. Mobility in soil

#### Rubio Monocoat WoodPrep

Ecology - soil mobile in soils.

#### mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)

Surface tension	No data available in the literature
Log Koc	0.81 – 1 (log Koc, Calculated value)
Ecology - soil	Very mobile in the soils.

### 12.5. Results of PBT and vPvB assessment

#### Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9) <sup>(1)</sup>
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9) <sup>(1)</sup>

<sup>(1)</sup> Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

### 12.7. Other adverse effects

#### Rubio Monocoat WoodPrep

Other information Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.  
Product/Packaging disposal recommendations : Waste disposal according to Directive 2008/98/EC, covering waste and dangerous waste.  
Sewage disposal recommendations : Disposal must be done according to official regulations.  
Waste disposal recommendations : Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant local regulations.  
Additional information : Clean up even minor leaks or spills if possible without unnecessary risk.  
Ecology - waste materials : Avoid release to the environment.  
European List of Waste (LoW, EC 2000/532) : 16 10 01-

# Rubio Monocoat WoodPrep

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU-Regulations

##### REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1))	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

# Rubio Monocoat WoodPrep

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1))	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List < 0.1% or SCL.

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### National regulations

#### France

#### Germany

Water hazard class (WGK) : WGK nwg, Non-hazardous to water (Not classified according to Regulation Governing Systems for Handling Substances Hazardous to Waters (AwSV)).

#### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed  
Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

# Rubio Monocoat WoodPrep

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Poland

#### Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).  
Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).  
The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).  
Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).  
Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).  
Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).  
The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)  
Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).  
Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).  
ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)  
Regulation of the Minister of Health of 25 August 2015 on the method of marking places, pipelines, and containers and tanks used for storing or containing hazardous substances or hazardous mixtures (J.o.L. 2015, item 1368 as ammended)

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

### Full text of H- and EUH-statements:

Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1A	Skin sensitisation, category 1A
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

# Rubio Monocoat WoodPrep

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Full text of H- and EUH-statements:

H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1). May produce an allergic reaction.

The classification complies with : ATP 18

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.